

D1008

Palm Micro Centrifuge

Applications

This centrifuges is ideal for quick spins, microfiltration of samples, cell separations and many other routine laboratory procedures.

Features

- Easy to operate with dual start/stop function – Close lid for a spin speed up to 7000 rpm
- Smooth and quiet operation (noise level $\leq 45\text{dB}$)
- Accelerates and brakes in seconds
- Safe, durable and robust rotor with clamp locking design
- Compatible with 2mLx8 and PCR8x4 rotors
- Quick-change rotor without any tool



Quiet operation



Vibration free



Specifications	D1008
Max. Speed	7000rpm
Max. RCF	2680 × g
Rotor Capacity	0.2/0.5/1.5/2.0mL × 8; 0.2mL × 32 PCR strips or 0.2mL × 4 PCR 8 strips
Run Time	Continuous operation
Driving Motor DC motor	DC motor
Power Requirements	AC100–240V/50Hz/60Hz 20W
Noise Level	$\leq 45\text{dB}$
Dimension [D × W × H]	160x170x122mm
Weight	0.5kg
Certification	CE cTUVus FCC MCA

Available rotors


A4-PCR8P
Cat. No.19200810

Max. speed:7000rpm

Max. RCF:2680 × g

 Rotor capacity: 0.2 mL × 32 PCR strips,
0.2 mL × 4 PCR 8 strips

Rotor material: High strength plastic


A8-2P
Cat. No.19400015

Max. speed:7000rpm

Max. RCF:2680 × g

Rotor capacity:2mL/1.5mL × 8,0.2mL × 8,0.5mL × 8

Rotor material:High strength plastic

Available rotor adapters:SA02P2, SA05P2



Available adapters

SA02P2
Cat. No.19400029

0.2mL rotor adapter

Used with A08-2 rotor

8pcs/pk


SA05P2
Cat. No.19400026

0.5mL rotor adapter

Used with A08-2 rotor

8pcs/pk

